




AVIATION GRADE PLEATED FILTER



PAN PACIFIC AERO PRODUCTS AND SERVICES, LLC.



参数规格表 (nom.)					
零件号	孔径 in	孔径 μm	开孔 面积 in ²	总面积 in ²	孔数
FSJA1300030A	0.003	75	0.014	0.062	1980
FSJA1300040A	0.004	100	0.019	0.062	1500
FSJA1300060A	0.006	150	0.020	0.062	700
FSJA1300080A	0.008	200	0.014	0.062	250
FSJA1300100A	0.010	250	0.019	0.062	240
FSJA1300150A	0.015	380	0.026	0.062	150
FSJA1300200A	0.020	500	0.024	0.062	80


Basic Specifications of a Pleated Filter

P/N	Height (mm)	Flange Diameter (mm)	Flange Height (mm)	Installation Diameter (mm)	Installation Height (mm)	Aperture Diameter (mm)	Aperture Count (个)	Material
FSJA1300040A	2.67-3.43	3.28-3.35	0.28-0.41	3.38-3.55	0.41-0.48	0.1	1500	304L




Bottom Diameter of a Pleated Filter: $\Phi 3.110\text{mm}$ 、 $\Phi 1.691\text{mm}$

Flange Diameter: $\Phi 1.506\text{mm}$ 、 $\Phi 3.307\text{mm}$




External Diameter of a Micro Hole : $\Phi 0.103\text{mm}$ 、 $\Phi 0.100\text{mm}$ 、 $\Phi 0.099\text{mm}$ 、 $\Phi 0.106\text{mm}$

Internal Diameter of a Micro Hole : $\Phi 0.099\text{mm}$ 、 $\Phi 0.108\text{mm}$ 、 $\Phi 0.099\text{mm}$ 、 $\Phi 0.097\text{mm}$



Outer Circle Diameter of a Pleated
Filter: 3.10mm
Outer Circle Diameter of a Pleated
Filter: 1.68mm




Flange Outer Diameter: $\Phi 3.32$
Flange Inner Diameter: $\Phi 1.46$




Flange Height: 0.4mm



Pleater Filter Height: 2.96mm
3.04mm
3.06mm
3.00mm
3.04mm




Pleater Filter Micro Hole Diameter : Φ
0.10-0.11mm



Fully Transparent Micro Holes






Evenly Pleated



Fully Transparent Micro Holes



Exceptional Brazing
Technique



THANK YOU

Telephone: +1 (386) 681-7794

Email: info@pan-pacific.aero

Website: <https://www.pan-pacific.aero>

Address: 1100 106th Ave. NE STE-101, Bellevue WA 98004